POGGESI

the art of creating shade

ITALIAN | DURABILITY | QUALITY | BEAUTY | VALUES

INDEX

Magnum	02
Dehor	10
Jok	16
Party	22
Enzo	28
Bay	34
Pisa	40
Como	46
King	52
One	58
Summer	64
Gate Shade	70
Mood YPE	76
Accesories	82
Bases	86
Cantilever	92
Centerpost	93
Canopy details	96
Valance & Branding	100
Patterns & Fringe	101

www.poggesiusa.com
Poggesi FIRENZE
Magnum

MAGNUM



The Magnum collection within the telescopic lines is impressive in both size and design. It has a maximum coverage area of up to 650 Square feet with sides measuring up to 26 feet each. This model features a safe mechanized opening and closing system with a worm screw and can be fitted with electrical cables and side walls. The design allows for non-removable furniture below and includes a double crown for telescopic opening. The Magnum is also available with electric motor for opening and closing the umbrella.

MAGNUM



Structure:
size range:
16′ x 16′ – Ø 26′ 6″
(500 x 500 - Ø 800 cm).

Approximate measures in cm on any bases, underground tube or base 25x25 (*) on any base + 20 cm
for sizes up to 600x600 we suggest to use or the underground tube or the base 25x25 for ground fixing

Features:
- NO furniture removal
- 360° Rotation

UMBRELLA FRAME	Center Pole
SHAFT	Aluminum Ø 3.94″ x 0.12″ (Ø 100mm x 3 mm)
NUMBER OF RIBS	8/10/12 Ribs (Depending on size)
RIB MEASUREMENTS	Aluminum 1.38″ x 0.79″ x 0.08″ / 1.77″ x 0.79″ x 0.08″ (45 x 20 x 2 mm / 35 x 20 x 2 mm)
INTERNALLY REINFORCED	Yes, on Diagonal Ribs
NUTS, BOLTS, SCREWS	Stainless Steel
ALUMINUM COATING	Powder Coating
OPENING / CLOSING	Endless Screw
ELECTRIC MOTOR	Available Upon Request
RIB JOINTS	Aluminum H with Rivets
CANOPY	Sunbrella® or Tempotest®
VALANCE	Available Upon Request (+5%)
VENT	Soft
TELESCOPIC MECHANISM	Yes
CANOPY TILT	-----
CANOPY HEIGHT	Fixed
UMBRELLA ROTATION	360°
CRANK	Included
EQUIPPED FOR CURTAINS	Included
LOGOS	Available Upon Request
FABRIC & VELCRO GUTTERS	Available Upon Request
WEIGHT OF STRUCTURE W/ FABRIC	Approx. 110 - 117 lbs. (50 - 80 kg)



	MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS a	b	c	d
	MGL5050	16′ 6″ x 16′ 6″	500 x 500	8′ 6″ 260	11′ 4″ 345	15′ 9″ 480	3′ 7″ 110
	MGL5555	18′ 0″ x 18′ 0″	550 x 550	8′ 6″ 260	11′ 4″ 345	15′ 9″ 480	2′ 11″ 90
	MGL6060	19′ 6″ x 19′ 6″	600 x 600	8′ 6″ 260	12′ 2″ 370	17′ 1″ 520	3′ 1″ 95
	MGL6565	21′ 6″ x 21′ 6″	650 x 650	8′ 6″ 260	12′ 6″ 380	17′ 5″ 530	2′ 4″ 70
	MGL7070	23′ 0″ x 23′ 0″	700 x 700	8′ 8″ 265	12′ 10″ 390	19′ 0″ 580	2′ 7″ 80
	MGL7575	24′ 6″ x 24′ 6″	750 x 750	8′ 8″ 265	12′ 10″ 390	19′ 0″ 580	1′ 6″ 45
	MGL5545	18′ 0″ x 15′ 0″	550 x 450	8′ 6″ 260	11′ 2″ 340	14′ 9″ 450	2′ 11″ 90
	MGL6040	19′ 6″ x 13′ 0″	600 x 400	8′ 6″ 260	11′ 4″ 345	14′ 9″ 450	2′ 11″ 90
	MGL6050	19′ 6″ x 16′ 6″	600 x 500	8′ 6″ 260	11′ 10″ 360	16′ 5″ 500	3′ 3″ 100
	MGL6545	21′ 6″ x 15′ 0″	650 x 450	8′ 6″ 260	11′ 6″ 350	16′ 5″ 500	3′ 3″ 100
	MGL6555	21′ 6″ x 18′ 0″	650 x 550	8′ 6″ 260	11′ 10″ 360	16′ 7″ 505	2′ 7″ 80
	MGL7050	23′ 0″ x 16′ 6″	700 x 500	8′ 6″ 260	11′ 10″ 360	16′ 7″ 505	2′ 6″ 75
	MGL7060	23′ 0″ x 19′ 6″	700 x 600	8′ 6″ 260	12′ 6″ 380	18′ 1″ 550	2′ 9″ 85
	MGL8060	26′ 6″ x 19′ 6″	800 x 600	8′ 6″ 260	12′ 8″ 385	18′ 8″ 570	2′ 2″ 65
	MGLD65	Ø 21′ 6″	Ø 650	8′ 6″ 260	11′ 10″ 360	15′ 9″ 480	4′ 11″ 150
	MGLD70	Ø 23′ 0″	Ø 700	8′ 6″ 260	11′ 10″ 360	16′ 5″ 500	3′ 11″ 120
	MGLD75	Ø 24′ 6″	Ø 750	8′ 6″ 260	12′ 2″ 370	16′ 9″ 510	4′ 3″ 130
	MGLD80	Ø 26′ 6″	Ø 800	8′ 6″ 260	12′ 6″ 380	17′ 5″ 530	4′ 1″ 125

*Custom Sizes available upon request



NO furniture removal



Rotation

www.poggesiusa.com Poggesi FIRENZE Dehor

DEHOR

The Dehor Collection is perfect for large spaces and is designed for efficiency and ease of operation. This model features a safe mechanized opening and closing system with a worm screw and can be fitted with electrial cables and side walls. The design allows for non-removable furniture below and includes a double crown for telescopic opening, it can also be upgraded with an electrical motor. This model is best suited for group seating areas with large tables or multiple smaller tables.

DEHOR



Structure:
size range:
11'6" x 11'6" – Ø 19' 6"
(350 x 350 - Ø 600 cm)

Approximate measures in cm
on any bases, underground
tube or base 25x25

Features:
- NO furniture removal
- 360° Rotation

UMBRELLA FRAME	Center Pole
SHAFT	Aluminum Ø 3.35″ x 0.12″ (Ø 85 x 3 mm)
NUMBER OF RIBS	8 Ribs
RIB MEASUREMENTS	Aluminum 1.38″ x 0.79″ x 0.08″ / 1.77″ x 0.79″ x 0.08″ (45 x 20 x 2 mm / 35 x 20 x 2 mm)
INTERNALLY REINFORCED	Yes, on Diagonal Ribs
NUTS, BOLTS, SCREWS	Stainless Steel
ALUMINUM COATING	Powder Coating
OPENING / CLOSING	Endless Screw
ELECTRIC MOTOR	Available Upon Request
RIB JOINTS	Nylon Triangle With Rivets
CANOPY	Sunbrella® or Tempotest®
VALANCE	Available Upon Request (+5%)
VENT	Soft
TELESCOPIC MECHANISM	Yes
CANOPY TILT	-----
CANOPY HEIGHT	Fixed
UMBRELLA ROTATION	360°
CRANK	Included
EQUIPPED FOR CURTAINS	Included
LOGOS	Available Upon Request
FABRIC & VELCRO GUTTERS	Available Upon Request
WEIGHT OF STRUCTURE W/ FABRIC	Approx. 110 - 117 lbs. (50 - 80 kg)

www.poggesiusa.com

Poggesi FIRENZE

Dehor



	MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS a	b	c	d
	MDH3535	11′ 6″ x 11′ 6″	350 x 350	7′ 10″ 240	9′ 10″ 300	13′ 1″ 400	4′ 11″ 150
	MDH4040	13′ 0″ x 13′ 0″	400 x 400	8′ 0″ 245	10′ 6″ 320	13′ 11″ 425	4′ 7″ 140
	MDH4545	15′ 0″ x 15′ 0″	450 x 450	8′ 2″ 250	10′ 8″ 325	14′ 3″ 435	3′ 11″ 120
	MDH5050	16′ 6″ x 16′ 6″	500 x 500	8′ 4″ 255	11′ 2″ 340	15′ 3″ 465	3′ 7″ 110
	MDH5555	18′ 0″ x 18′ 0″	550 x 550	8′ 4″ 255	11′ 2″ 340	15′ 7″ 475	2′ 9″ 85
	MDH6060	19′ 6″ x 19′ 6″	600 x 600	8′ 0″ 245	11′ 2″ 340	15′ 11″ 485	2′ 0″ 60
	MDH4030	13′ 0″ x 10′ 0″	400 x 300	7′ 10″ 240	9′ 10″ 300	13′ 5″ 410	4′ 11″ 150
	MDH4535	15′ 0″ x 11′ 6″	450 x 350	8′ 0″ 245	10′ 6″ 320	13′ 11″ 425	4′ 7″ 140
	MDH4540	15′ 0″ x 13′ 0″	450 x 400	8′ 2″ 250	10′ 6″ 320	14′ 1″ 430	4′ 3″ 130
	MDH5035	16′ 6″ x 11′ 6″	500 x 350	8′ 2″ 250	10′ 8″ 325	14′ 1″ 430	3′ 11″ 120
	MDH5040	16′ 6″ x 13′ 0″	500 x 400	8′ 2″ 250	10′ 8″ 325	14′ 1″ 430	3′ 7″ 110
	MDH5545	18′ 0″ x 15′ 0″	550 x 450	8′ 4″ 255	11′ 2″ 340	15′ 1″ 460	3′ 3″ 100
	MDH6040	19′ 6″ x 13′ 0″	600 x 400	8′ 6″ 260	11′ 4″ 345	14′ 7″ 445	2′ 9″ 85
	MDH6045	19′ 6″ x 15′ 0″	600 x 450	8′ 6″ 260	11′ 4″ 345	15′ 3″ 465	2′ 11″ 90
	MDH6050	19′ 6″ x 16′ 6″	600 x 500	8′ 2″ 250	11′ 4″ 345	15′ 11″ 485	2′ 11″ 90
	MDHD45	Ø 15′ 0″	Ø 450	8′ 2″ 250	10′ 4″ 315	13′ 3″ 405	5′ 7″ 170
	MDHD50	Ø 16′ 6″	Ø 500	8′ 2″ 250	10′ 6″ 320	13′ 5″ 410	5′ 3″ 160
	MDHD55	Ø 18′ 0″	Ø 550	8′ 2″ 250	10′ 10″ 330	13′ 9″ 420	4′ 9″ 145
	MDHD60	Ø 19′ 6″	Ø 600	8′ 4″ 255	11′ 2″ 340	14′ 9″ 450	4′ 7″ 140

*Custom Sizes available upon request



NO furniture removal



Rotation

www.poggesiusa.com Poggesi FIRENZE Jok

JOK

The JOK Collection is the smallest of our center pole telescopic line. These products are sturdy, resistant and extremely versatile. The rope and double pulley system make opening and closing a breeze, it is also available with Crank (Endless Screw). The design allows for non-removable furniture below and includes a double crown for telescopic opening. The JOK is best suited for small groupings of small tables or single table settings.

JOK



Structure:
size range:
11'6" – Ø 15'
(350 x 350 – Ø 450 cm)

Approximate measures in cm on any bases or underground tube.

Features:
- NO furniture removal
- 360° Rotation

UMBRELLA FRAME	Center Pole
SHAFT	Aluminum Ø 2.55″ x 0.08″ (Ø 65 x 2 mm)
NUMBER OF RIBS	8 Ribs
RIB MEASUREMENTS	Aluminum 1.38″ x 0.79″ x 0.08″ (35 x 20 x 20 mm)
INTERNALLY REINFORCED	-----
SIDE ARMS	-----
NUTS, BOLTS, SCREWS	Stainless Steel
ALUMINUM COATING	Powder Coating
OPENING / CLOSING	Rope & Double Pulley System / Crank and Endless Screw
RIB JOINTS	Nylon Triangle With Rivets
CANOPY	Sunbrella® or Tempotest®
VALANCE	Available Upon Request (+5%)
VENT	Soft
TELESCOPIC MECHANISM	Yes
CANOPY TILT	-----
CANOPY HEIGHT	Fixed
UMBRELLA ROTATION	360°
CRANK	-----
EQUIPPED FOR CURTAINS	Included
LOGOS	Available Upon Request
FABRIC & VELCRO GUTTERS	Available Upon Request
WEIGHT OF STRUCTURE W/ FABRIC	Approx. 44 lbs. (20 kg)



	MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS a	b	c	d
	GIK3535	11′ 6″ x 11′ 6″	350 x 350	7′ 10″ 240	9′ 10″ 300	11′ 10″ 360	3′ 11″ 120
	GIK4040	13′ 0″ x 13′ 0″	400 x 400	8′ 4″ 255	10′ 6″ 320	12′ 2″ 370	2′ 11″ 90
	GIK4030	13′ 0″ x 10′ 0″	400 x 300	7′ 10″ 240	9′ 6″ 290	11′ 6″ 350	3′ 3″ 100
	GIK4535	15′ 0″ x 11′ 6″	450 x 350	8′ 6″ 260	10′ 6″ 320	12′ 2″ 370	2′ 9″ 85
	GIK4540	15′ 0″ x 13′ 0″	450 x 400	8′ 0″ 245	10′ 6″ 320	13′ 1″ 400	3′ 3″ 100
	GIKD35	Ø 11′ 6″	Ø 350	7′ 10″ 240	9′ 4″ 285	10′ 10″ 330	4′ 11″ 150
	GIKD40	Ø 13′ 0″	Ø 400	7′ 10″ 240	9′ 8″ 295	11′ 8″ 355	4′ 11″ 150
	GIKD45	Ø 15′ 0″	Ø 450	8′ 0″ 245	9′ 10″ 300	12′ 6″ 380	4′ 7″ 140

*Custom Sizes available upon request



NO furniture removal



Rotation

www.poggesiusa.com Poggesi FIRENZE Party

PARTY

With a pulley and rope opening and closing system, this classic and traditional center pole umbrella is easy to use and easily meets all standard requirements. It's lightweight, robust and durable qualities make it practical for many uses.

PARTY





Structure:
size range:
8′ x 8′ – Ø 10′
(250 x 250 – Ø 450 cm)

Approximate measures in cm on any bases or underground tube

Features:
- Rotation

UMBRELLA FRAME	Center Pole
SHAFT	Aluminum Ø 1.97″ x 0.08″ (Ø 50 x 2 mm)
NUMBER OF RIBS	8 Ribs
RIB MEASUREMENTS	Aluminum 1.38″ x 0.79″ x 0.08″ (35 x 20 x 2 mm)
INTERNALLY REINFORCED	-----
SIDE ARMS	-----
NUTS, BOLTS, SCREWS	Stainless Steel
ALUMINUM COATING	Powder Coating
OPENING / CLOSING	Rope & Double Pulley System
RIB JOINTS	Nylon Triangle With Rivets
CANOPY	Sunbrella® & Tempotest®
VALANCE	Available Upon Request (+5%)
VENT	Soft
TELESCOPIC MECHANISM	-----
CANOPY TILT	-----
CANOPY HEIGHT	Fixed
UMBRELLA ROTATION	360°
CRANK	-----
EQUIPPED FOR CURTAINS	Included
LOGOS	Available Upon Request
FABRIC & VELCRO GUTTERS	Available Upon Request
WEIGHT OF STRUCTURE W/ FABRIC	Approx. 40 lbs. (18 kg)



	MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS a	b	c	d
	RPI2525	8′ 0″ x 8′ 0″	250 x 250	7′ 7″ 230	9′ 0″ 275	9′ 0″ 275	2′ 2″ 95
	RPI3030	10′ 0″x 10′ 0″	300 x 300	7′ 7″ 230	9′ 0″ 275	9′ 0″ 275	2′ 2″ 65
	RPI3525	11′ 6″ x 8′ 0″	350 x 250	7′ 7″ 230	9′ 4″ 285	9′ 4″ 285	2′ 4″ 70
	RPID25	Ø 8′ 0″	Ø 250	7′ 7″ 230	9′ 0″ 275	9′ 0″ 275	2′ 2″ 95
	RPID30	Ø 10′ 0″	Ø 300	7′ 7″ 230	8′ 8″ 265	8′ 8″ 265	3′ 7″ 110

*Custom Sizes available upon request



Rotation

www.poggesiusa.com Poggesi FIRENZE Enzo

ENZO

Classic and traditional center pole umbrella is easy to use and easily meets all standard requirements. Its lightweight, robust and durable qualities make it practical for many uses.

ENZO



Structure:
size range:
8′ x 8′ - Ø8′)
(250 x 250cm - Ø250cm)

Approximate measures in cm on any bases.

Features:
- Rotation

UMBRELLA FRAME	Center Pole
SHAFT	Aluminum Ø 1.97″ x 0.08″ (Ø 50 x 2 mm)
NUMBER OF RIBS	4 and 8 Ribs
RIB MEASUREMENTS	Aluminum 1.18″ x 0.79″ x 0.08″ (30 x 20 x 2 mm)
INTERNALLY REINFORCED	-----
SIDE ARMS	-----
NUTS, BOLTS, SCREWS	Stainless Steel
ALUMINUM COATING	Powder Coating
OPENING / CLOSING	Push and Pin Lock System
RIB JOINTS	Nylon Triangle With Rivets
CANOPY	Sunbrella® & Tempotest®
VALANCE	Available Upon Request (+5%)
VENT	Soft
TELESCOPIC MECHANISM	-----
CANOPY TILT	-----
CANOPY HEIGHT	Fixed
UMBRELLA ROTATION	360°
CRANK	-----
EQUIPPED FOR CURTAINS	Included
LOGOS	Available Upon Request
FABRIC & VELCRO GUTTERS	Available Upon Request
WEIGHT OF STRUCTURE W/ FABRIC	Approx. 35 lbs. (16 kg)



	MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS a	b	c	d
	ENZOSQ4 (4 Ribs)	8′ 0″ x 8′ 0″	250 x 250	7′ 7″ 230	9′ 0″ 275	9′ 0″ 275	2′ 2″ 95
	ENZOSQ25 (8 Ribs)	8′ 0″ x 8′ 0″	250 x 250	7′ 7″ 230	9′ 0″ 275	9′ 0″ 275	2′ 2″ 95
	ENZOD25	Ø 8′ 0″	Ø 250	7′ 7″ 230	9′ 0″ 275	9′ 0″ 275	2′ 2″ 95



Rotation

www.poggesiusa.com Poggesi FIRENZE Bay

BAY

The BAY's light and elegant bend gives it a modern look which enhances any space. Small but efficient, the BAY impresses with it's incredible versatility and design. It features a pulley and rope opening and closing system for ease of use. The BAY is best suited for patio, restaurant, and cafe seating areas and any small space where shade is required.

BAY



Structure:
size range:
Ø 8′ – Ø 11′ 6″
(Ø 250 – Ø 350 cm)

Approximate measures in cm on any bases or underground tube

Features:
- Rotation

UMBRELLA FRAME	Center Pole
SHAFT	Aluminum Ø 1.97″ x 0.08″ (50 x 20 mm)
NUMBER OF RIBS	8 Ribs
RIB MEASUREMENTS	Aluminum 1.18″ x 0.79″ x 0.08″ (30 x 20 x 2 mm)
INTERNALLY REINFORCED	-----
SIDE ARMS	-----
NUTS, BOLTS, SCREWS	Stainless Steel
ALUMINUM COATING	Powder Coating
OPENING / CLOSING	Rope & Double Pulley System
RIB JOINTS	Nylon Triangle With Rivets
CANOPY	Sunbrella® & Tempotest®
VALANCE	-----
VENT	-----
TELESCOPIC MECHANISM	-----
CANOPY TILT	-----
CANOPY HEIGHT	Fixed
UMBRELLA ROTATION	360°
CRANK	-----
EQUIPPED FOR CURTAINS	-----
LOGOS	Available Upon Request
FABRIC & VELCRO GUTTERS	-----
WEIGHT OF STRUCTURE W/ FABRIC	Approx. 35 lbs. (16 kg)





MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS a	b	c	d
BAYD25	Ø 8′ 0″	Ø 250	7′ 7″ 230	8′ 2″ 250	8′ 2″ 250	4′ 1″ 125
BAYD27	Ø 9′ 0″	Ø 270	7′ 7″ 230	8′ 4″ 254	8′ 4″ 254	3′ 11″ 119
BAYD30	Ø 10′ 0″	Ø 300	7′ 7″ 230	8′ 8″ 265	8′ 8″ 265	3′ 9″ 115



Rotation

www.poggesiusa.com

Poggesi
FIRENZE

Pisa

PISA

The PISA umbrella with aluminum ribs is the perfect combination of technology and aesthetics. It gives the beach a modern line... PISA is the right product of research and quality standards, to bring style to any pool or beach worldwide.

PISA



Structure:
size range:
Ø 7'6" / Ø8'2" / Ø 10' 0"
(Ø 220cm / Ø 250cm / Ø 300 cm)

6'6"x6'6" - 7'2" x 7'2" - 8'2" x 8'2"
(200x200 / 220x220 / 250x250 cm)

Approximate measures in cm on any bases or underground tube

Features:
- Rotation

UMBRELLA FRAME	Center Pole
SHAFT	Anodized Aluminum Ø 1.77″ (Ø 45mm)
NUMBER OF RIBS	8 Ribs
RIB MEASUREMENTS	Anodized Aluminum 0.9″ x 0.5″ (23 x 13mm)
INTERNALLY REINFORCED	-----
SIDE ARMS	-----
NUTS, BOLTS, SCREWS	Stainless Steel
Powder Coating	Available Upon Request
OPENING / CLOSING	Push and Lock System
RIB JOINTS	Nylon Triangle With Rivets
CANOPY	Sunbrella® & Tempotest®
VALANCE	Available Upon Request
VENT	Soft
TELESCOPIC MECHANISM	-----
CANOPY TILT	-----
CANOPY HEIGHT	Fixed
UMBRELLA ROTATION	360°
CRANK	-----
EQUIPPED FOR CURTAINS	-----
LOGOS	Available Upon Request
FABRIC & VELCRO GUTTERS	-----
WEIGHT OF STRUCTURE W/ FABRIC	Approx. 35 lbs. (16 kg)



	MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS a	b	c	d
	PIS2020	6′ 6″ x 6′ 6″	200 x 200	6′ 6″ 200	8′ 6″ 258	8′ 6″ 258	3′ 1″ 95
	PIS2222	7′ 2″ x 7′ 2″	220 x 220	6′ 9″ 206	8′ 6″ 258	8′ 6″ 258	2′ 11″ 90
	PIS2525	8′ 2″ x 8′ 2″	250 x 250	6′10″ 210	8′ 6″ 258	8′ 6″ 258	2′ 4″ 72
	PISD220	Ø 7′ 6″	Ø 220	7′ 9″ 235	8′ 4″ 254	8′ 4″ 254	4′ 7″ 139
	PISD250	Ø 8′ 2″	Ø 250	7′ 9″ 235	8′ 4″ 254	8′ 4″ 254	4′ 1″ 125
	PISD300	Ø 10′ 0″	Ø 300	7′ 9″ 235	8′ 4″ 254	8′ 4″ 254	3′ 1″ 95



Rotation

www.poggesiusa.com Poggesi FIRENZE Como

COMO

The COMO collection by GESI is a classic beach umbrellas without a valance. The COMO umbrellas give a lighter but more elegant appearance to the beach environment, transmitting an idea of order and open space. The perfect choice for crowded beaches or to give a highly sophisticated appearance to specific areas.

COMO



Structure:
size range:
Ø 6'6" – Ø 7' 6"
(Ø 200 – Ø 220 cm)

Approximate measures in cm on any bases or underground tube

Features:
- Rotation

UMBRELLA FRAME	Center Pole
SHAFT	Anodized Aluminum Ø 1.57″ (Ø 40 mm) Two Parts
NUMBER OF RIBS	10 Galvanized Steel Rods
RIB MEASUREMENTS	Galvanized Steel Rod Ø 0.19″ (Ø 5mm)
INTERNALLY REINFORCED	-----
SIDE ARMS	-----
NUTS, BOLTS, SCREWS	Stainless Steel
Powder Coating	Available Upon Request
OPENING / CLOSING	Push and Lock System
RIB JOINTS	-----
CANOPY	Tempotest Mare®
VALANCE	Available Upon Request
VENT	-----
TELESCOPIC MECHANISM	-----
CANOPY TILT	-----
CANOPY HEIGHT	Fixed
UMBRELLA ROTATION	360°
CRANK	-----
EQUIPPED FOR CURTAINS	-----
LOGOS	Available Upon Request
FABRIC & VELCRO GUTTERS	-----
WEIGHT OF STRUCTURE W/ FABRIC	Approx. 35 lbs. (16 kg)



	MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS a	b	c	d
	COMD200	Ø 6′ 6″	Ø 200	6′ 4″ 195	7′ 7″ 230	7′ 7″ 230	4′ 3″ 130
	COMD220	Ø 7′ 6″	Ø 220	6′ 4″ 195	7′ 7″ 230	7′ 7″ 230	3′ 11″ 119



Rotation

www.poggesiusa.com Poggesi FIRENZE King

KING



The KING collection brings majestic elegance and details in aesthetics and functionality. The KING collection has a span of up to 16′ with a patented de-centralized structure. Operation is with a handle crank that allows for multiple functions including 360° rotation, tilt, and height adjustment of the canopy. The design also allows for non-removable furniture below. The KING is suited for large seating spaces, restaurants, decks, and anywhere that requires expansive adjustable coverage.

KING



Structure:
size range:
10′ x 10′ – Ø 16′ 6″
(300 x 300 – Ø 500)

Sizes related to pole position. Approximate measures in cm without base or underground tube. On any base + 15 cm. On the base 25x25 + 7 cm

Features:
- NO furniture removal
- Rotation & Tilting
- Adjustable Canopy Height

UMBRELLA FRAME	Cantilever
SHAFT	Aluminum 4.61″ x 4.17″ x 0.12″ (117 x 106 x 3 mm)
SIDE ARM	Aluminum 4.13″ x 2.87″ x 0.07″ (105 x 73 x 2 mm)
NUMBER OF RIBS	8 Ribs
RIB MEASUREMENTS	Aluminum 1.38″ x 0.79″ x 0.08″ (35 x 20 x 2 mm)
INTERNALLY REINFORCED	-----
NUTS, BOLTS, SCREWS	Stainless Steel
ALUMINUM COATING	Powder Coating
OPENING / CLOSING	Two Winches w/ Cable & Endless Screw
RIB JOINTS	Nylon Triangle With Rivets
CANOPY	Sunbrella® & Tempotest®
VALANCE	Available Upon Request (+5%)
VENT	Stiff – Raised
DOUBLE VENTS	On Request
CANOPY TILT	Yes
CANOPY HEIGHT	Adjustable
UMBRELLA ROTATION	360°
CRANK	Included
EQUIPPED FOR CURTAINS	Available Upon Request
LOGOS	Available Upon Request
FABRIC & VELCRO GUTTERS	Available Upon Request
WEIGHT OF STRUCTURE W/ FABRIC	Approx. 121 lbs. (55 kg)



	MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS a	b	c	d	e
	BKN3030	10′ 0″ x 10′ 0″	300 x 300	7′ 1″ 215	9′ 1″ 276	11′ 6″ 350	5′ 4″ 161.5	4″ 10
	BKN3535	11′ 6″ x 11′ 6″	350 x 350	7′ 1″ 215	9′ 3″ 283	11′ 6″ 350	4′ 1″ 123.5	11″ 29
	KNG4040	13′ 0″ x 13′ 0″	400 x 400	7′ 1″ 215	9′ 5″ 286	12′ 8″ 385	3′ 1″ 94	9″ 23
	KNG4545	15′ 0″ x 15′ 0″	450 x 450	7′ 1″ 215	9′ 9″ 298	12′ 8″ 385	1′ 8″ 51	1′ 11″ 58
	KNG4030	13′ 0″ x 10′ 0″	400 x 300	7′ 1″ 215	9′ 3″ 281	12′ 8″ 385	4′ 1″ 124	-7″ -17
	KNG4535	15′ 0″ x 11′ 6″	450 x 350	7′ 1″ 215	9′ 5″ 288	12′ 8″ 385	2′ 10″ 87	3″ 8
	KNG5040	16′ 6″ x 13′ 0″	500 x 400	7′ 1″ 215	9′ 9″ 298	12′ 8″ 385	1′ 7″ 50	1′ 1″ 33
	KNGD40	Ø 13′ 0″	Ø 400	7′ 1″ 215	9′ 3″ 281	12′ 8″ 385	5′ 6″ 168	7″ 17
	KNGD50	Ø 16′ 6″	Ø 500	7′ 1″ 215	9′ 9″ 296	12′ 8″ 385	3′ 10″ 118	2′ 1″ 64

*Custom Sizes available upon request

Adjustable Canopy Height



Rotation & Tilting



www.poggesiusa.com Poggesi FIRENZE One

ONE



This innovative and functional model is the result of careful technological research and design. It's single crank tilt and closing system is unique as it is efficient, allowing for multiple functions including 360° rotation and tilt adjustment of the canopy, and for non-removable furniture below. The ONE is designed for restaurants with strict furniture regulations, for decks and patios of any size.

ONE



Structure:
size range:
8' x 8 '– Ø 13'
(250 x 250 – Ø 400)

Sizes related to pole position. Approximate measures in cm without base or underground tube. On any base + 15 cm. On the base 25x25 + 7 cm

Features:
- NO furniture removal
- Rotation & Tilting

UMBRELLA FRAME	Cantilever
SHAFT	Aluminum 4.09″ x 3.3″ x 0.12″ (104 x 84 x 3 mm)
SIDE ARM	Aluminum 3.35″ x 2.72″ x 0.08″ (85 x 69 x 2 mm)
NUMBER OF RIBS	8 Ribs
RIB MEASUREMENTS	Aluminum 1.38″ x 0.79″ x 0.08″ (35 x 20 x 2 mm)
INTERNALLY REINFORCED	-----
NUTS, BOLTS, SCREWS	Stainless Steel
ALUMINUM COATING	Powder Coating
OPENING / CLOSING	One Winches w/ Cable & Endless Screw
RIB JOINTS	Nylon Triangle With Rivets
CANOPY	Sunbrella® & Tempotest®
VALANCE	Available Upon Request (+5%)
VENT	Stiff - Raised or Soft
DOUBLE VENTS	On Request
CANOPY TILT	Yes
CANOPY HEIGHT	Fixed
UMBRELLA ROTATION	360°
CRANK	Included
EQUIPPED FOR CURTAINS	Available Upon Request
LOGOS	Available Upon Request
FABRIC & VELCRO GUTTERS	Available Upon Request
WEIGHT OF STRUCTURE W/ FABRIC	Approx. 77 lbs. (35 kg)



	MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS a	b	c	d	e
	ONG2525	8′ 0″ x 8′ 0″	250 x 250	7′ 1″ 215	8′ 11″ 273	11′ 6″ 350	5′ 4″ 163	0″ -1
	ONG3030	10′ 0″ x 10′ 0″	300 x 300	7′ 1″ 215	9′ 0″ 275	11′ 6″ 350	4′ 4″ 131	9″ 23.5
	ONG3535	11′ 6″ x 11′ 6″	350 x 350	7′ 1″ 215	9′ 3″ 283	11′ 6″ 350	3′ 1″ 93	1′ 7″ 49
	ONG3020	10′ 0″ x 6′ 6″	300 x 200	7′ 1″ 215	9′ 1″ 276	11′ 6″ 350	5′ 3″ 159.5	-10″ -26
	ONG3525	11′ 6″ x 8′ 0″	350 x 250	7′ 1″ 215	9′ 3″ 283	11′ 6″ 350	4′ 2″ 125.5	0″ -1
	ONG4030	13′ 0″ x 10′ 0″	400 x 300	7′ 1″ 215	9′ 3″ 281	11′ 6″ 350	3′ 93.5	9″ 23
	ONGD30	Ø 10′ 0″	Ø 300	7′ 1″ 215	9′ 1″ 278	11′ 6″ 350	5′ 6″ 168	5″ 12.5
	ONGD35	Ø 11′ 6″	Ø 350	7′ 1″ 215	9′ 3″ 283	11′ 6″ 350	3′ 10″ 118	1′ 2″ 35.5
	ONGD40	Ø 13′ 0″	Ø 400	7′ 1″ 215	9′ 5″ 288	11′ 6″ 350	3′ 10″ 118	1′ 11″ 59

*Custom Sizes available upon request

NO furniture removal



Rotation & Tilting



www.poggesiusa.com Poggesi FIRENZE Summer

SUMMER

Our Summer model offers the customary Poggesi quality and finishes and has no rival when it comes to value and price. The Summer model features a soft vent and 360° rotation. It is best suited for patios, pool, decks, and gardens.

SUMMER



Structure:
size range:
10′ x 10′– 13′ x 13′
(300 x 300 – 400 x 400 cm)

Sizes related to pole position.
Approximate measures in cm without base or underground tube. On any base + 15 cm.
On the base 25x25 + 7 cm

Features:
- NO furniture removal
- Rotation

UMBRELLA FRAME	Cantilever
SHAFT	Aluminum 3.54″ x 3.54″ x 0.1″ (90 x 90 x 2.5 mm)
SIDE ARM	Aluminum 3.15″ x 1.97″ x 0.08″ (80 x 50 x 2 mm)
NUMBER OF RIBS	8 Ribs
RIB MEASUREMENTS	Aluminum 1.37″ x 0.7″ x 0.07″ (35 x 20 x 2 mm)
INTERNALLY REINFORCED	-----
NUTS, BOLTS, SCREWS	Stainless Steel
ALUMINUM COATING	Powder Coating
OPENING / CLOSING	One Winch w/ Cable
RIB JOINTS	Nylon Triangle With Rivets
CANOPY	Sunbrella® & Tempotest®
VALANCE	Available Upon Request (+5%)
VENT	Soft or Stiff
DOUBLE VENTS	-----
CANOPY TILT	Yes (Optional)
CANOPY HEIGHT	Fixed
UMBRELLA ROTATION	360°
CRANK	Included
EQUIPPED FOR CURTAINS	Available Upon Request
LOGOS	Available Upon Request
FABRIC & VELCRO GUTTERS	Available Upon Request
WEIGHT OF STRUCTURE W/ FABRIC	Approx. 66 lbs. (30 kg)



	MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS a	b	c	d
	SUM2525	8′ 0″ x 8′ 0″	250 x 250	6′ 5″ 197	8′ 3″ 254	11′ 2″ 340	9″ 23
	SUM3030	10′ 0″ x 10′ 0″	300 x 300	6′ 11″ 210	8′ 6″ 260	11′ 2″ 340	9″ 23
	SUM3535	11′ 6″ x 11′ 6″	350 x 350	7′ 1″ 215	8′ 10″ 270	11′ 2″ 340	1′ 7″ 49
	SUM3025	10′ 0″ x 8′ 0″	300 x 250	6′ 11″ 210	8′ 6″ 260	11′ 2″ 340	9″ 23
	SUM4030	13′ 0″ x 10′ 0″	400 x 300	7′ 1″ 215	9′ 0″ 275	12′ 0″ 365	10″ 25
	SUMD30	Ø 10′ 0″	Ø 300	6′ 11″ 210	8′ 6″ 260	11′ 2″ 340	9″ 23
	SUMD35	Ø 11′ 6″	Ø 350	7′ 1″ 215	8′ 10″ 270	11′ 2″ 340	1′ 7″ 49

*Custom Sizes available upon request



NO furniture removal



Rotation

www.poggesiusa.com
Poggesi FIRENZE
Gate shade

GATE SHADE

Gate Shade represents the beginning of a cooperation with Nicolas Thomkins, a designer of international fame. The arch with its pure and modern design is the core of the structure, which integrates two arm awnings, a customized hi-fi system and LED stripes.
Nicolas Thomkins has created a structure of great beauty and aesthetic value whether fully opened providing suitable cover from the sun or collected.

GATE SHADE



Structure:
size range:
10′ x 11′2″ – 16′ 6″ x 21′
(300 x 340 cm – 500 x 640 cm)

FRAME	Steel 27.5″ x 4″ x 115″ (700 x 124 x 2920 mm)
NUTS, BOLTS, SCREWS	Stainless Steel
ALUMINUM COATING	Epoxy Powder Coating
OPENING / CLOSING	Motorized Awning Fold
GUTTERS	-----
CURTAINS	-----
STRUCTURE COLORS	White Titanium Taupe Anthracite Corten Black
AWNING COLORS	Soft White Beige Soft Beige Melange Beton Taupe Grey Deep Grey Black Blue

www.poggesiusa.com

Poggesi FIRENZE

Gate shade





MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS a		b		c		d	
UGS3034	10′ 0″ x 11′ 2″	300 x 340	10′ 0″	300	11′ 2″	340	9′ 5″	292	8′ 2″	250
UGS3044	10′ 0″ x 14′ 4″	300 x 440	10′ 0″	300	14′ 4″	440	9′ 5″	292	8′ 1″	247
UGS4034	13′ 0″ x 11′ 2″	400 x 340	13′ 0″	400	11′ 2″	340	9′ 5″	292	8′ 2″	250
UGS4044	13′ 0″ x 14′ 4″	400 x 440	13′ 0″	400	14′ 4″	440	9′ 5″	292	8′ 1″	247
UGS4054	13′ 0″ x 17′ 7″	400 x 540	13′ 0″	400	17′ 7″	540	9′ 5″	292	7′ 9″	243
UGS4064	13′ 0″ x 21′ 0″	400 x 640	13′ 0″	400	21′ 0″	640	9′ 5″	292	7′ 8″	240
UGS5034	16′ 6″ x 11′ 2″	500 x 340	16′ 6″	500	11′ 2″	340	9′ 5″	292	7′ 9″	243
UGS5044	16′ 6″ x 14′ 4″	500 x 440	16′ 6″	500	14′ 4″	440	9′ 5″	292	7′ 9″	243
UGS5054	16′ 6″ x 17′ 7″	500 x 540	16′ 6″	500	17′ 7″	540	9′ 5″	292	7′ 8″	240
UGS5064	16′ 6″ x 21′ 0″	500 x 640	16′ 6″	500	21′ 0″	640	9′ 5″	292	7′ 8″	240

ACCESSORIES

LED for Pillars



Anchorage with planters

LED for Awnings



Covers and Pillows for ballast post

Audio System



Counter Weights

www.poggesiusa.com
Poggesi FIRENZE
Mood YPE

MOOD

The clean and essential design of this gazebo, makes it one of the most versatile models in Poggesi's contemporary collection. The aluminum frame supports a manually retractable canopy roof that one can control with the simple use of a stainless steel rod. The canopy can be locked on either side, depending whether it is open or closed, with a system of magnets.

MOOD

Structure:
size range:
10′ x 10′ – 16′ 6″ x 16′ 6″
(300 x 300 cm – 500 x 500 cm)

FRAME	Aluminum 4.7″ x 4.7″ x 0.07″ (Ø 120 x 120 x 2 mm)
NUTS, BOLTS, SCREWS	Stainless Steel
ALUMINUM COATING	Powder Coating
OPENING / CLOSING	Manual Retractable Roof
GUTTERS	Available Upon Request
CURTAINS	Available Upon Request
STRUCTURE COLORS	Matte White Glossy White Taupe Anthracite
AWNING COLORS	White Taupe Anthracite Light Grey Vanilla



MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS a		b		c	
MOOD3030	10′ 0″ x 10′ 0″	300 x 300	7′ 11″	242	9′ 0″	276	9′ 0″	276
MOOD4040	13′ 1″ x 13′ 1″	400 x 400	7′ 11″	242	12′ 4″	376	12′ 4″	376
MOOD5050	16′ 6″ x 16′ 6″	500 x 500	7′ 11″	242	15′ 7″	476	15′ 7″	476
MOOD3040	10′ 0″ x 13′ 1″	300 x 400	7′ 11″	242	9′ 0″	276	9′ 0″	376
MOOD4030	13′ 1″ x 10′ 0″	400 x 300	7′ 11″	242	12′ 4″	376	12′ 4″	276
MOOD4050	13′ 1″ x 16′ 6″	400 x 500	7′ 11″	242	15′ 7″	376	15′ 7″	476
MOOD5040	16′ 6″ x 13′ 1″	500 x 400	7′ 11″	242	15′ 7″	476	15′ 7″	376

ACCESSORIES

Compact Roof in transparent polycarbonate

Dimmable LED Strips integrated into the aluminium

Side curtains in acrylic fabric with zipper and fasteners

Vertical Roller curtain with manual or motorized winch

Side Shield made of aluminium profiles available in the color of frame

ALSO AVAILABLE WITH GUTTERS,
Ask for pricing

www.poggesiusa.com
Poggesi FIRENZE
Accesories and bases

ACCESORIES

LED spotlight
with joint warm/ cold

Watt	3
Volt	12

LED strip
with rigid profile - cold light

cm.	50	100
in.	20″	40″
Watt	9	18
Volt	12	12



Luminarie Disk Light box set of 2
Warm LED lights with USB charger.
*2″ pole only

Wheel covered in rubber
with brake* Select models only

Pillow for coverbase in
fabric or faux leather
27″x27″ or 35″x35″
(70x70 cm or 90x90 cm)

Nylon storage
bag

Pillow for cover base in
fabric or faux leather
21″x46″ (117x54 cm)

ACCESORIES

VALANCE TYPES



POLE POSITION

cantilever



STRUCTURE COLORS

custom colors are available on request

STRUCTURE POLE

MAGNUM	DEHOR	JOK	PARTY, BAY ENZO	PISA	COMO	KING	ONE	SUMMER
Ø 3.94″ x 0.12″ (100 x 3 mm)	Ø 3.35″ x 0.12″ (85 x 3 mm)	Ø 2.55″ x 0.08″ (65 x 2 mm)	Ø 1.97″ x 0.08″ (50 x 2 mm)	Ø 1.77″ (45 mm)	Ø 1.57 (40 mm)	4.61″ x 4.17″ x 0.12 (117 x 106 x 3 mm)	4.09″ x 3.7″ x 0.12 (104 x 94 x 3 mm)	3.54″ x 3.54″ x0.1 (90 x 90 x 2.5 mm)

BASES

CONCRETE & ABOVE GROUND BASE OPTIONS

Iron Base with set of 4 concrete weights

# 1	COMBASEX70 AXB7070 Iron base 27"x27x8" (70x70x20cm) ACEM47 Set of 4 concrete weights (Total 160 kg., 352 lbs.).
# 2	COMBASEX90 AXB9090 Iron base 35"x35x8" (90x90x20cm). ACEM49 Set of 4 concrete weights (Total 263 kg., 579 lbs.).

Iron Base with set of 4 concrete weights

# 3	AXB70JK Iron base 27"x27x8" (70x70x20cm) ID Ø 2.5" (6.5cm) ACEM47 Set of 4 concrete weights (Total 160 kg., 352 lbs.).

Iron Base with set of 4 concrete weights with bolt down base adaptador

# 4	AF9090 Iron base 35"x35x8" (90x90x20cm) ID Ø 3.94" (10cm) ACEM49 set of 4 concrete weights, bolt down 10"x 10" (Total 285 kg., 627 lbs.).



Iron Base with set of 8 concrete weights

# 5	AXB9090 Iron base 35"x35" (90x90cm) ACEM47 Set of 4 concrete weights + ACEM49 Set of 4 concrete weights (Total 398 kg., 876 lbs.).

BASES

CONCRETE & ABOVE GROUND BASE OPTIONS

Iron Base with set of 4 concrete weights

# 6	AB5010 (Iron base 21"x46" (54x117cm) ACEM50 Set of 4 tiles 20"x20"x2" (50x50cm) (Total 153 kg., 337 lbs.).



Base Covers

# 7	ACOP70 27"x27x8.25" (70x70x21cm) Square Cover for weights and base (5 kg., 11 lbs.).
# 8	ACOP90 35"x35x8.25" (90x90x21cm) Square Cover for weights and base (8 kg., 17.6 lbs.).
# 9	ACOP50 21"x46x8.25" (54x117x21cm) Rectangular Cover for weights and base (5 kg., 11 lbs.).

Aluminum Concrete Filled Base

# 10	ACF24D50-G Round Concrete Filled Base Ø 24" (Ø 60cm) (60 kg., 130 lbs.) Base with side rollers.

Polypropylene Concrete filled Base

# 11	PPBASE105-50 Polypropylene Single Base Ø 21" , 6" Height (Ø 53cm, 15.24cm Height) (47 kg. 105 lbs.)
# 12	PPBASE165-50 Polypropylene Base Ø 21", 10" Height (Ø 53cm, 25.4cm Height) (75 kg. 165 lbs.)

BASES

CONCRETE & ABOVE GROUND BASE OPTIONS

Galvanized steel base with various weight options

# 13	GSBCPM2424 Galvanized steel base with various weight options 24″x24″, (61x61cm) (Multiples of kg., 64 lbs.).
# 14	GSBCPM3030 Galvanized steel base with various weight options 30″x30″, (76x76cm) (Multiples of 45 kg., 100 lbs.).
# 15	GSBCPM3636 Galvanized steel base with various weight options 36″x36″, (91x91cm) (Multiples of 45 kg., 100 lbs.).

Galvanized Round Steel Bases

# 16	GSBCPD 24″x0.5″ (Ø 61x1.27cm) Cover for weights and base (30 kg. , 65 lbs.).
# 17	GSBCPD 24″x1″ Stacked (Ø 61x2.5cm) Cover for weights and base (60 kg., 130 lbs.).
# 18	GSBCPD 30″x0.5″ (Ø 76x1.27cm) Cover for weights and base (45 kg., 100 lbs.).
# 19	GSBCPD 30″+24″x1″ Stacked (Ø 76x2.5cm) Cover for weights and base (75 kg., 165 lbs.).
# 20	GSBCPD 30″x1″ Stacked (Ø 61x2.5cm) Cover for weights and base (90 kg., 200 lbs.).
# 21	GSBCPD 2x30″+24″x1.5″ Stacked (Ø 76x3.8cm) Cover for weights and base (120 kg., 265 lbs.).

BASES

BOLT DOWN BASE OPTIONS

Cantilever Iron base for ground fixing

# 22	BDBASECL Iron base for bolt down 10″x10″x0.31″ (25x25x0.8cm) (8 kg., 17 lbs.).

Center Post Iron base for ground fixing

# 23	BDBASEDE/BDBASEMG Iron base for bolt down 10″x10″x0.31″ (25x25x0.8cm) (8 kg., 17 lbs.).

Center Post Iron base for ground fixing

# 24	BDBASEJK Iron base for bolt down 10″x10″x0.31″ (25x25x0.8cm) ID Ø 2.5″ (Ø 6.5cm) (16 kg., 35 lbs.).



Cantilever Iron base for wall mounting

# 25	WMOUCL Custom Iron wall mount base avaliable (16 kg. 34 lbs.).

IN-GROUND BASE OPTIONS

Cantilever Iron base for in-ground fixing

# 26	IGBASECL Iron base tube for in-ground insertion OD Ø 5″ (Ø 12.7cm) (5 kg., 11 lbs.).

Center Post Iron base for in-ground fixing

# 27	IGBASEDE/MG Iron base tube for in-ground insertion (12 kg, 26 lbs). *Recommended for over 20′x20′ (600 x 600cm) umbrellas.

Center Post Iron base for in-ground fixing

# 28	IGBASEJK Iron base tube for in-ground insertion ID Ø 2.5″ (Ø 6.5cm) (5 kg., 11 lbs.).

BASES

BASE OPTIONS

	MAGNUM	DEHOR	JOK	PARTY	ENZO	BAY	PISA	COMO	KING	ONE	SUMMER
# 1									●	●	●
# 2									●	●	●
# 3			●	●	●	●					
# 4	●	●									
# 5									●	●	●
# 6										●	●
# 7									●	●	●
# 8									●	●	●
# 9										●	●
# 10			●	●	●	●	●	●			
# 11				●	●	●	●	●			
# 12				●	●	●	●	●			
# 13				●	●	●	●	●			
# 14				●	●	●	●	●		●	●
# 15	●	●	●						●	●	●
# 16				●	●	●	●	●			
# 17				●	●	●	●	●			
# 18				●	●	●	●	●			
# 19			●	●	●	●	●	●			
# 20			●	●	●	●	●	●			
# 21			●	●	●	●	●	●			
# 22									●	●	●
# 23	●	●									
# 24			●								
# 25									●	●	●
# 26									●	●	●
# 27	●	●									
# 28			●	●	●						

CANTILEVER



SUMMER



ONE



KING

CENTER POST



JOK



DEHOR



MAGNUM

Sizes	8′ x 8′ to 13′ x 10′ (250 x 250 to 400 x 300 cm)	8′ x 8′ to 13′ x 10′ (250 x 250 to 400 x 300 cm)	10′ x 10′ to 16′ x 13′ (300 x 300 to 500 x 400 cm)	10′ x 10′ to 15′ x 13′ (300 x 300 to 450 x 350 cm)	11′6″ x 11′6″ to 19′6″ x 16′6″ (350 x 350 to 600 x 500 cm)	16′ x 16′ to 26′6″ x 19′6″ (500 x 500 to 800 x 600 cm)
Shapes	Octagonal, Square, Rectangle	Octagonal, Square, Rectangle	Octagonal, Square, Rectangle	Octagonal, Square, Rectangle	Octagonal, Square, Rectangle	Octagonal, Square, Rectangle
Number of Ribs	8	8	8	8	8	8 to 12
Opening / Closing	Crank + Manual Operation	Crank	Crank	Rope & Pulley or Crank	Crank	Crank
Rotation	360°	360°	360°	n/a	n/a	n/a
Canopy Tilt	Yes (optional)	Yes	Yes	n/a	n/a	n/a
Canopy Height	Fixed	Fixed	Adjustable	n/a	n/a	n/a
Vent	Soft or Stiff (optional)	Soft or Stiff	Raised	Soft	Soft	Soft
Shaft Diameter	Ø 3.54″ x 3.54″ x 0.1″ Ø 90 x 90 x 2.5 mm	Ø 4.09″ x 3.7″ x 0.12″ Ø 104 x 94 x 3 mm	Ø 4.61″ x 4.17″ x 0.12″ Ø 117 x 106 x 3 mm	Ø 2.55″ x 0.08″ Ø 65 x 2 mm	Ø 3.35″ x 0.12″ Ø 85 x 3 mm	Ø 3.94″ x 0.12″ Ø 100 x 3 mm
Bases	Concrete Weights, Mount,Bolt Down, In-Ground Galvanized Steel Base	Concrete Weights, Wall Mount,Bolt Down, In-Ground Galvanized Steel Base	Concrete Weights, Wall Mount,Bolt Down, In-Ground Galvanized Steel Base	Concrete Weights, Bolt Down, In-Ground Galvanized Steel Base	Concrete Weights, Bolt Down, In-Ground Galvanized Steel Base	Concrete Weights, Bolt Down, In-Ground
Valances	Upon request	Upon request	Upon request	Upon request	Upon request	Upon request

CENTER POST



BAY



PARTY

CENTER POST



PISA



COMO



ENZO

	BAY	PARTY	PISA	COMO	ENZO
Sizes	8′ to 11′6″ (250 to 350 cm)	8′ x 8′ to 15′ x 11′6″ (250 x 250 to 450 x 350 cm)	7′6″ to 8′2″ (220 to 250 cm)	6′6″ to 7′6″ (200 to 220 cm)	8′ x 8′ and Ø 8″ (250 x 250 to 450 x 350 cm)
Shapes	Octagonal	Octagonal, Square, Rectangle	Octagonal, Square	Octagonal	Octagonal, Square
Number of Ribs	8	8	8	10	4 and 8
Opening / Closing	Rope & Pulley	Rope & Pulley	Push and Lock System	Push and Lock System	Push and Pin System
Rotation	360°	360°	360°	360°	360°
Canopy Tilt	n/a	n/a	n/a	n/a	n/a
Canopy Height	n/a	n/a	n/a	n/a	n/a
Vent	Soft	Soft	Soft	n/a	Soft
Shaft Diameter	Ø 1.97″ x 0.08″ Ø 50 x 2 mm	Ø 1.97″ x 0.08″ Ø 50 x 2 mm	Ø 1.77″ Ø 45mm	Ø 1.57″ Two Parts Ø 40mm	Ø 1.97″ x 0.08″ Ø 50 x 2 mm
Bases	Concrete Weights, Bolt Down, In-Ground Galvanized Steel Base	Concrete Weights, Bolt Down, In-Ground Galvanized Steel Base	Concrete Weights, Bolt Down, In-Ground Galvanized Steel Base	Concrete Weights, Bolt Down, In-Ground Galvanized Steel Base	Concrete Weights, Bolt Down, In-Ground Galvanized Steel Base
Valances	Upon request	Upon request	Upon request	Upon request	Upon request

CANOPY DETAILS



CANOPY DETAILS

CANOPY DETAILS



CANOPY DETAILS



Details available
for cutomization:

- Canopy fabric
- Vent fabric
- Binding
- Stitching
- Accent border



VALANCE & BRANDING



Branding





Fringe
option
available

PATTERNS & FRINGE

POGGESI

the art of creating shade

11550 Interchange Circle North
Miramar, FL 33025

t: +1 888 POGGESI
t: +1 786 558 2233

info@poggesiusa.com

visit our website